

## York III 600mm White Standard

Item number: 520.42.3401.2



€ 217,74

EAN: 5703347528910

D

Thermex York III 60 cm in white with motor is an affordable and efficient and quiet hood for cupboard mounting. The built-in motor ensures a low noise level for maximum comfort in the kitchen. The elegant glass touch panel makes operation simple.

The Thermex York III is an extra affordable cupboard-integrated extractor hood available in two versions: Standard and Lux. Lux has a more powerful motor than Standard. You can choose between either white with white front, black with black front, or gray with stainless front. Smart mounting system makes it a dream for the do-it-yourself man or woman and anyone else who is primarily looking for an affordable and «hassle free» extractor hood in the kitchen. The built-in motor can produce up to 279 m<sup>3</sup>/h.



### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>149</b>
Minimum-Soundpower [dB(A)]	<b>47</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>279</b>
Maximum-Soundpower [dB(A)]	<b>61</b>
Control	<b>Slide buttons</b>
Material	<b>White painted steel</b>

## Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Recirculation filterset KF60	535.42.9160.9	€ 49,40
flex hose. Ø 127 mm per meters	800.70.4127.9	€ 31,25
Sound and condensation insulation. Ø 127 mm per meters	810.16.5127.9	€ 73,59
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set, Ø 125 mm	830.51.2127.9	€ 97,79
Hose set pvc ø127 mm	800.70.7127.9	€ 73,59
Hose set Ø127 1.2 meters	800.70.6127.9	€ 58,46
Exhaust set isol. ø127	830.51.6127.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic I	536.99.1500.9	€ 536,29
Prolink Plasmex I	536.99.1502.9	€ 1.403,23
Prolink Premium I	536.99.1504.9	€ 1.146,18
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

## York III 600 mm White Lux

Item number: 520.42.3411.2


€ 246,98

EAN: 5703347528934

D

Thermex York III Lux 60 cm in white with motor is an affordable and efficient and quiet extractor hood for cupboard mounting. The built-in motor ensures a low noise level for maximum comfort in the kitchen. The elegant glass touch panel makes operation simple.

**Thermex York III Lux** is an extra affordable cupboard-integrated extractor hood available in two versions: Standard and Lux. Lux has a more powerful motor than Standard. You can choose between either white with white front, black with black front, or gray with stainless front. Smart mounting system makes it a dream for the do-it-yourself man or woman and anyone else who is primarily looking for an affordable and «hassle free» extractor hood in the kitchen. The built-in Lux motor can produce up to 390 m<sup>3</sup>/h.



### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>259</b>
Minimum-Soundpower [dB(A)]	<b>65</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>369</b>
Maximum-Soundpower [dB(A)]	<b>73</b>
Control	<b>Slide buttons</b>
Material	<b>White painted steel</b>

## Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Recirculation filterset KF60	535.42.9160.9	€ 49,40
flex hose. Ø 127 mm per meters	800.70.4127.9	€ 31,25
Sound and condensation insulation. Ø 127 mm per meters	810.16.5127.9	€ 73,59
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set, Ø 125 mm	830.51.2127.9	€ 97,79
Hose set pvc ø127 mm	800.70.7127.9	€ 73,59
Hose set Ø127 1.2 meters	800.70.6127.9	€ 58,46
Exhaust set isol. ø127	830.51.6127.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic I	536.99.1500.9	€ 536,29
Prolink Plasmex I	536.99.1502.9	€ 1.403,23
Prolink Premium I	536.99.1504.9	€ 1.146,18
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

## York III 600mm Black Standard

Item number: 520.42.3402.2

€ 217,74

EAN: 5703347531033

D

The Thermex York III 60 cm in black with motor is an affordable and efficient and quiet hood for cupboard mounting. The built-in motor ensures a low noise level for maximum comfort in the kitchen. The elegant glass touch panel makes operation simple.

The Thermex York III is an extra affordable cupboard-integrated extractor hood available in two versions: Standard and Lux. Lux has a more powerful motor than Standard. You can choose between either white with white front, black with black front, or gray with stainless front. Smart mounting system makes it a dream for the do-it-yourself man or woman and anyone else who is primarily looking for an affordable and «hassle free» extractor hood in the kitchen. The built-in motor can produce up to 279 m<sup>3</sup>/h.



### Specifications

Minimum airflow [m <sup>3</sup> /h]	149
Minimum-Soundpower [dB(A)]	47
Maximum-airflow [m <sup>3</sup> /h]	279
Maximum-Soundpower [dB(A)]	61
Control	Slide buttons
Material	Black painted steel

## Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Recirculation filterset KF60	535.42.9160.9	€ 49,40
flex hose. Ø 127 mm per meters	800.70.4127.9	€ 31,25
Sound and condensation insulation. Ø 127 mm per meters	810.16.5127.9	€ 73,59
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set, Ø 125 mm	830.51.2127.9	€ 97,79
Hose set pvc ø127 mm	800.70.7127.9	€ 73,59
Hose set Ø127 1.2 meters	800.70.6127.9	€ 58,46
Exhaust set isol. ø127	830.51.6127.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic I	536.99.1500.9	€ 536,29
Prolink Plasmex I	536.99.1502.9	€ 1.403,23
Prolink Premium I	536.99.1504.9	€ 1.146,18
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

## York III 600 mm Grey/Stainless Standard

Item number: 520.42.3408.2


€ 217,74

EAN: 5703347528927



The Thermex York III 60 cm in stainless steel with motor is an affordable and efficient and quiet hood for cupboard mounting. The built-in motor ensures a low noise level for maximum comfort in the kitchen. The elegant glass touch panel makes operation simple.

The Thermex York III is an extra affordable cupboard-integrated extractor hood available in two versions: Standard and Lux. Lux has a more powerful motor than Standard. You can choose between either white with white front, black with black front, or gray with stainless front. Smart mounting system makes it a dream for the do-it-yourself man or woman and anyone else who is primarily looking for an affordable and «hassle free» extractor hood in the kitchen. The built-in motor can produce up to 279 m<sup>3</sup>/h.



### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>149</b>
Minimum-Soundpower [dB(A)]	<b>47</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>279</b>
Maximum-Soundpower [dB(A)]	<b>61</b>
Control	<b>Slide buttons</b>
Material	<b>Gray painted with Stainless steel front</b>

## Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Recirculation filterset KF60	535.42.9160.9	€ 49,40
flex hose. Ø 127 mm per meters	800.70.4127.9	€ 31,25
Sound and condensation insulation. Ø 127 mm per meters	810.16.5127.9	€ 73,59
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set, Ø 125 mm	830.51.2127.9	€ 97,79
Hose set pvc ø127 mm	800.70.7127.9	€ 73,59
Hose set Ø127 1.2 meters	800.70.6127.9	€ 58,46
Exhaust set isol. ø127	830.51.6127.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic I	536.99.1500.9	€ 536,29
Prolink Plasmex I	536.99.1502.9	€ 1.403,23
Prolink Premium I	536.99.1504.9	€ 1.146,18
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50



## York III 600 mm Grey/Stainless Lux

Item number: 520.42.3418.2


€ 246,98

EAN: 5703347528941



Thermex York III Lux 60 cm in stainless steel with motor is an affordable and efficient and quiet extractor hood for cupboard mounting. The built-in motor ensures a low noise level for maximum comfort in the kitchen. The elegant glass touch panel makes operation simple.

**Thermex York III Lux** is an extra affordable cupboard-integrated extractor hood available in two versions: Standard and Lux. Lux has a more powerful motor than Standard. You can choose between either white with white front, black with black front, or gray with stainless front. Smart mounting system makes it a dream for the do-it-yourself man or woman and anyone else who is primarily looking for an affordable and «hassle free» extractor hood in the kitchen. The built-in Lux motor can produce up to 390 m<sup>3</sup>/h.



### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>259</b>
Minimum-Soundpower [dB(A)]	<b>65</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>369</b>
Maximum-Soundpower [dB(A)]	<b>73</b>
Control	<b>Slide buttons</b>
Material	<b>Gray painted with Stainless steel front</b>

## Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Recirculation filterset KF60	535.42.9160.9	€ 49,40
flex hose. Ø 127 mm per meters	800.70.4127.9	€ 31,25
Sound and condensation insulation. Ø 127 mm per meters	810.16.5127.9	€ 73,59
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set, Ø 125 mm	830.51.2127.9	€ 97,79
Hose set pvc ø127 mm	800.70.7127.9	€ 73,59
Hose set Ø127 1.2 meters	800.70.6127.9	€ 58,46
Exhaust set isol. ø127	830.51.6127.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic I	536.99.1500.9	€ 536,29
Prolink Plasmex I	536.99.1502.9	€ 1.403,23
Prolink Premium I	536.99.1504.9	€ 1.146,18
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

## York III 500 mm White Lux

Item number: 520.42.3611.2


€ 246,98

EAN: 5703347528972

D

Thermex York III Lux 50 cm in white with motor is an affordable and efficient and quiet extractor hood for cupboard mounting. The built-in motor ensures a low noise level for maximum comfort in the kitchen. The elegant glass touch panel makes operation simple.

**Thermex York III Lux** is an extra affordable cupboard-integrated extractor hood available in two versions: Standard and Lux. Lux has a more powerful motor than Standard. You can choose between either white with white front, black with black front, or gray with stainless front. Smart mounting system makes it a dream for the do-it-yourself man or woman and anyone else who is primarily looking for an affordable and «hassle free» extractor hood in the kitchen. The built-in Lux motor can produce up to 390 m<sup>3</sup>/h.



### Specifications

Minimum airflow [m <sup>3</sup> /h]	<b>242</b>
Minimum-Soundpower [dB(A)]	<b>47</b>
Maximum-airflow [m <sup>3</sup> /h]	<b>390</b>
Maximum-Soundpower [dB(A)]	<b>66</b>
Control	<b>Slide buttons</b>
Material	<b>White painted steel</b>

## Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Recirculation filterset KF60	535.42.9160.9	€ 49,40
flex hose. Ø 127 mm per meters	800.70.4127.9	€ 31,25
Sound and condensation insulation. Ø 127 mm per meters	810.16.5127.9	€ 73,59
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set, Ø 125 mm	830.51.2127.9	€ 97,79
Hose set pvc ø127 mm	800.70.7127.9	€ 73,59
Hose set Ø127 1.2 meters	800.70.6127.9	€ 58,46
Exhaust set isol. ø127	830.51.6127.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic I	536.99.1500.9	€ 536,29
Prolink Plasmex I	536.99.1502.9	€ 1.403,23
Prolink Premium I	536.99.1504.9	€ 1.146,18
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50

Item number:


€ 0,00

EAN:

### Specifications

Control  
Material

Slide buttons  
White painted steel



## Tilkøb af montering

Name	Number	Price
Monteringservice 2	999.99.5002.0	€ 16.759,91

## Aftrækstilbehør

Name	Number	Price
Thermex Plasmex® filter I - Round	535.10.1000.9	€ 911,29
Mini Plasmex	535.21.1500.9	€ 607,86
Recirculation filterset KF60	535.42.9160.9	€ 49,40
flex hose. Ø 127 mm per meters	800.70.4127.9	€ 31,25
Sound and condensation insulation. Ø 127 mm per meters	810.16.5127.9	€ 73,59
Tension band 6 60-165 mm	815.16.8206.9	€ 17,14
Exhaust set, Ø 125 mm	830.51.2127.9	€ 97,79
Hose set pvc ø127 mm	800.70.7127.9	€ 73,59
Hose set Ø127 1.2 meters	800.70.6127.9	€ 58,46
Exhaust set isol. ø127	830.51.6127.9	€ 178,43
Carbon Flex Filter	535.46.1000.9	€ 304,44

## Thermex Link

Name	Number	Price
Thermex Trigger Link Module	536.99.1000.9	€ 231,85
Prolink Basic I	536.99.1500.9	€ 536,29
Prolink Plasmex I	536.99.1502.9	€ 1.403,23
Prolink Premium I	536.99.1504.9	€ 1.146,18
Safemex stove guard - 1 phase	536.06.1000.0	€ 839,71
Thermex Plasmex® Smart Link Module	536.99.1150.9	€ 437,50